

Item specifics

Item Type:Switches
 Remote Distance:20-100M
 Features:DC12V 24V
 Switch Type:Remote Control
 Model Number:ZK2LM
 Max. Current:10A
 Max. Voltage:DC24V
 Operating Temperature:-10'C~+60'C
 Encoding type:Learning Code
 Frequency:315/433MHZ
 Output way:Latched Toggle Momentary Adjustable

Product Description

Features/ Application:

- High confidentiality, large storage , stable performance and dispensing with traditional jumper s or switches coding, just wireless remote control will be fired the receiving signal controller, make this controller receive and store the signal from remote control.
- Apply in many kinds of wireless devices – including hand-held and portable units, window/door transmitters and a variety of detectors and other devices.
- Commonly used to control those wireless products in family, office, hotel, hospital, shopping malls, wa rehouse etc.

1, Operating voltage	DC12V/24V
2, Operating frequency	315/ 433.92 MHz
3, Frequency deviation	±0.2MHz
4, Operating temperature	-40'C ~ +80'C
5, Receiving sensitivity	108dBm
6, Modulation	AM
7, Signal output method	L4:Latch-signal,M4:Momentary-signal,T4:Toggle-signal
8, Decoder chip	fixed code (PT2272/ PT2262/PT2264/SC2262),learning code(EV1527),
9, Size (L*W*H)	68*48*16.8mm
10, Transmitting Distance	10-100m


Learning method:

press the learning button 1 time ,the LED indicator flash then press the transmitter button A , until the LED indicator stop ,it mean button A learning successfully
 press the learning button 2 times ,the LED indicator flash then press the transmitter button B , until the LED indicator stop ,it mean button B learning successfully
 press the learning button 3 times ,the LED indicator flash then press the transmitter button C, until the LED indicator stop ,it mean button C learning successfully

Remove Code:


Keeping press the learning button 8 second , until the LED indicator stop ,it mean remove code successfully

Control 220V Appliances wiring method



Input DC12/24V

Control DC12/24V Load Wiring Diagram



Input DC12/24V

