## Micro 2CH Long Range Mini Double Relay Receiver Remote Control Switch 12v 433mhz DC3.7v to 24v Super Power Transmitter

- Item specifics Package:Yes Frequency:433 MHz Channel:2 Use:Universal remote control size: 5.34inch\*1.67inch\*0.85inch The battery model of remote control:23A 12v module size:0.87inch\*0.81inch\*0.44inch Standby current:7mA Single way working current:60mA Load power:1A(Less than 5 watts) Power supply module:3.7V to 24V Control Distance:200m open environment, Can be used through walls Product frequency:433mhz The customer diy:Suitable for the customer DIY
- Product preponderance 1.360 degree,NO dead Angle 2.RF Remote Control Switch,can through walls 3.Ultra low power,High sensitive response 4.Super small size,Factory direct sale 5.Independent coding, many sets will be not interference of each other

Products use instructions

the first set of switch control A button(two blue wire) the second set of switch control B button(two yellow wire) The controller output switch node in the 2 groups(ON and COM) Belong to switch on and off the line type, Not the output power Used for on-off control circuit, Wire and wire connection, Inching button

Product parameters Working voltage: DC 3.7V to 24V (Wide voltage general) Module dissipation: 7mA Product frequency:433MHZ Load power: 1A(Less than 5 watts of equipment) Module size: 0.87inch\*0.81inch\*0.44inch Remote control size: 5.34inch\*1.67inch\*0.85inch Remote control distance: open environment of distance about 200M,Can be used through walls Product wiring instructions. The output is 2 set of contact switch module, Standby mode, Two way switch is disconnected

Press on the "A"button, Two Blue wire switch on, loosen the "A"button, Two Blue wire switch off Press on the "B"button, Two Yellow wire switch on, loosen the "B" button, Two Yellow wire switch off "A" and "B" are not to be used at the same time hold the remote control.

## Product wiring instructions

